



# South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178  
(909) 396-2000 • [www.aqmd.gov](http://www.aqmd.gov)

February 8, 2008

Mr. Buzz Landin  
Facility Manager  
Bowne of Los Angeles, Inc.  
18050 Central Avenue  
Carson, CA 90746

**SUBJECT:** Title V Facility Permit (Facility ID: 140473)

Dear Mr. Landin:

Please find attached the revised Title Page, Table of Contents, and Section D of your Title V Facility Permit. The revised sections reflect the approval of the permit revision requested in your Application No. 475122. The proposed permit revision was submitted to EPA for 45-day review on December 12, 2007. This permit revision includes the modification to lithographic printing press no. 4 by the addition of a sixth color unit as summarized below.

Equipment	Application No.	Permit Type
Lithographic Printing Press No. 4	475123	PC

Please review the attached sections carefully. Insert the enclosed sections into your Facility Permit and discard the earlier versions. Questions concerning changes to your permit should be directed to Mr. Shailesh Patel at (909) 396-2681.

Sincerely,

A handwritten signature in black ink, appearing to read 'Fred Lettice', is positioned above the printed name.

Fred Lettice  
Senior Manager  
Coating, Printing & Aerospace Operations

FEL:BLY:approval  
Attachment

cc: Gerardo Rios, EPA Region IX